



Star | POS Printing Solutions

Designed with **you** in mind...



star 

www.Star-EMEA.com

NEW

SM-S400



SM-T300



SM-T300DB
Bluetooth and Serial without Magnetic Stripe Reader

SM-T301DB
Bluetooth with MSR

SM-T301DW
WiFi version with MSR



SM-S200



SM-S300

Mobile Printers

Fast, lightweight and small. Star's new range of wireless mobile printers provide easy-to-use printing solutions for delivery receipts; field service estimates, reports, parts lists; inventory management schedules; mobile point-of-sale receipting and sales orders to name just a few applications.

SM-S200

2"

58mm Mobile Printer with Blue Light LCD Display

Sophisticated pocket size printer capable of producing high quality output at a fast 80mm/sec. with Bluetooth and Serial connections as well as a cover open sensor and power save facility



Blue Light Display



Easy Paper Loading

SM-T300

3"

80mm rugged Mobile Printer with LCD display & WiFi version

Ultra rugged with IP54 dust / splash proof certification. Available with or without the magnetic stripe reader with Bluetooth and WiFi versions



LCD Display



Rugged Design

SM-S300

3"

80mm Mobile Printer

Pocket size 80mm workhorse with an extended battery life of 10 hours with Bluetooth for wireless communication and Serial for printer settings and set-up



Magnetic Stripe Reader with Serial & Bluetooth



Easy Paper Loading

SM-S400

4"

112mm Mobile Printer

Wide, 104mm output for data filled service reports, delivery notes or law enforcement parking or motoring tickets in a compact case



Wide 112mm Paper Width



Easy Paper Loading

Options available




Carrying Case for SM-S200



Car Charger



1-Bay Charger



Shoulder Strap for SM-T300




4-Bay Battery Charger

SM-S200 Printer Specifications

Print Method	Direct Line Thermal Printing	
Print Speed	80mm/sec	
Print Width	48mm / 2"	
Print Resolution	203 dpi	
Dimensions	80.5 (W) x 113.5 (D) x 46 (H) mm	
Weight	232g (with battery)	
Battery Duration	6 hour printing (5 minute intervals)	
AC Adaptor	4 hours full charge time	
Power Voltage	7.4V	
Paper: Media Loading Method Width Thickness / Weight Roll Diameter	Thermal Paper "Drop-In & Print" 58mm 0.06 ~ 0.07mm 39mm	
Interface	Bluetooth (2.1), Serial	
Print Head Reliability	50km	
Barcode	Code39/93/128, JAN/EAN8, JAN/EAN13, EAN128, I2/5, KAN, UPC, CODABAR, PDF417, QR Code, DATA Matrix	
Drop Test	1m	
Operating System Support	Windows® 7 32/64 Bit, Vista 32/64 Bit, XP 32 Bit, Server 2008, 32/64 Bit, CE, StarIO SDK	
Magnetic Stripe Reader	Standard 1&2 Track (2&3 optional)	
Auto Power Down Mode	1-5 minutes configurable	
Characters per line	42	
Character Support	ANK, Simplified/Traditional Chinese, Arabic, Cyrillic, Russian, Turkish, Greek, Japanese, Persian, Latin 9 and others (upon request)	
Included	AC Charger, Battery Pack, Serial Cable, Sample Roll, Setup Sheet	
Options	4 Unit Battery Charger, Car Charger, Leather Case, Extra Battery Charger, Extra Battery Pack	


SM-T300 Printer Specifications

Print Method	Direct Line Thermal Printing	
Print Speed	75mm/sec	
Print Width	72mm / 3"	
Print Resolution	203 dpi	
Dimensions	120 (W) x 130.5 (D) x 58.4 (H) mm	
Weight	422g (with battery)	
Battery Duration	8 hour printing (5 minute intervals)	
AC Adaptor	4 hours full charge time	
Power Voltage	7.4V	
Paper: Media Loading Method Width Thickness / Weight Roll Diameter	Thermal Paper "Drop-In & Print" 80mm 0.06 ~ 0.07mm 50mm	
Interface	Bluetooth & Serial / WiFi versions	
Print Head Reliability	50km	
Barcode	Code39/93/128, JAN/EAN8, JAN/EAN13, EAN128, I2/5, KAN, UPC, CODABAR, PDF417, QR Code, DATA Matrix	
Drop Test	1.5m	
Operating System Support	Windows® 7 32/64 Bit, Vista 32/64 Bit, XP 32 Bit, Server 2008, 32/64 Bit, CE, StarIO SDK	
Magnetic Stripe Reader	Standard 1&2 Track (2&3 optional)	
Auto Power Down Mode	1-5 minutes configurable	
Characters per line	64	
Character Support	ANK, Simplified/Traditional Chinese, Arabic, Cyrillic, Russian, Turkish, Greek, Japanese, Persian, Latin 9 and others (upon request)	
Included	AC Charger, Battery Pack, Serial Cable, Belt Clip, Sample Roll, Setup Sheet, IP54 Certified	
Options	4 Unit Battery Charger, Car Charger, Shoulder Strap, Extra Battery Charger, Extra Battery Pack	

SM-S300 Printer Specifications

Print Method	Direct Line Thermal Printing	
Print Speed	65mm/sec	
Print Width	72mm / 3"	
Print Resolution	203 dpi	
Dimensions	107.4 (W) x 88.5 (D) x 45 (H) mm	
Weight	269g (with battery)	
Battery Duration	10 hour printing (5 minute intervals)	
AC Adaptor	4 hours full charge time	
Power Voltage	7.4V	
Paper: Media Loading Method Width Thickness / Weight Roll Diameter	Thermal Paper "Drop-In & Print" 80mm 0.06 ~ 0.07mm 38mm	
Interface	Bluetooth (2.1), Serial	
Print Head Reliability	50km	
Barcode	Code39/93/128, JAN/EAN8, JAN/EAN13, EAN128, I2/5, KAN, UPC, CODABAR, PDF417, QR Code, DATA Matrix	
Drop Test	0.9m	
Operating System Support	Windows® 7 32/64 Bit, Vista 32/64 Bit, XP 32 Bit, Server 2008, 32/64 Bit, CE, StarIO SDK	
Magnetic Stripe Reader	Standard 1&2 Track (2&3 optional)	
Auto Power Down Mode	1-5 minutes configurable	
Characters per line	64	
Character Support	ANK, Simplified/Traditional Chinese, Arabic, Cyrillic, Russian, Turkish, Greek, Japanese, Persian, Latin 9 and others (upon request)	
Included	AC Charger, Battery Pack, Serial Cable, Sample Roll, Setup Sheet	
Options	4 Unit Battery Charger, Car Charger, Extra Battery Charger, Extra Battery Pack	

SM-S400 Printer Specifications

Print Method	Direct Line Thermal Printing	
Print Speed	50mm/sec	
Print Width	104mm / 4"	
Print Resolution	203 dpi	
Dimensions	138.4 (W) x 88.5 (D) x 45.7 (H) mm	
Weight	321g (with battery)	
Battery Duration	11 hour printing (5 minute intervals)	
AC Adaptor	4 hours full charge time	
Power Voltage	7.4V	
Paper: Media Loading Method Width Thickness / Weight Roll Diameter	Thermal Paper "Drop-In & Print" 112mm 0.06 ~ 0.07mm 38mm	
Interface	Bluetooth (2.1), Serial	
Print Head Reliability	50km	
Barcode	Code39/93/128, JAN/EAN8, JAN/EAN13, EAN128, I2/5, KAN, UPC, CODABAR, PDF417, QR Code, DATA Matrix	
Drop Test	0.9m	
Operating System Support	Windows® 7 32/64 Bit, Vista 32/64 Bit, XP 32 Bit, Server 2008, 32/64 Bit, CE, StarIO SDK	
Magnetic Stripe Reader	Standard 1&2 Track (2&3 optional)	
Auto Power Down Mode	1-5 minutes configurable	
Characters per line	92	
Character Support	ANK, Simplified/Traditional Chinese, Arabic, Cyrillic, Russian, Turkish, Greek, Japanese, Persian, Latin 9 and others (upon request)	
Included	AC Charger, Battery Pack, Serial Cable, Sample Roll, Setup Sheet	
Options	4 Unit Battery Charger, Car Charger, Extra Battery Charger, Extra Battery Pack	

Other Star Specialist Brochures available:

- Star Hospitality Printing Solutions
- Star Kiosk Printing Solutions
- Star Printer Mechanisms
- Star Visual Card Loyalty & Access Read / Write Systems

Telephone +44 (0)1494 471111 or visit our web site at

www.Star-EMEA.com

Star Micronics EMEA, Star House, Peregrine Business Park, Gomm Road, High Wycombe, Buckinghamshire, HP13 7DL, UK
Fax: +44 (0)1494 473333 Email: sales@Star-EMEA.com

All other trademarks, where used, are acknowledged. In accordance with Star's policy of continual product development, Star Micronics Europe Ltd, reserve the right to change or amend the specification and price of its products from time to time without prior notice.

New product information can be found at

www.futurePRNT.com





SM-T300i

Rugged, 3" (80mm) iOS Compatible Bluetooth Mobile Printer

The Star SM-T300i is a durable, ruggedized Mobile Bluetooth Printer offering high connectivity and functionality; Compatible with all major operating systems including iOS, Android™ and Windows®.

The SM-T300i offers advanced Apple Inc. MFi Certification, allowing it to pair with iPad®, iPhone® and iPod Touch®, along with all Bluetooth SPP (Serial Port Profile) devices with additional wired serial connection flexibility.

- **3 Inch Ultra Durable Portable Printer**
- **Dust Protected, Splash Proof (IP54 Certified)**
- **High Speed: 75mm/sec**
- **Bluetooth (2.1: MFi Certified for iOS / SPP) and Wired Serial Connections**
- **Backlit LCD Display**
- **MFi Certified – Pairs with iPad®, iPhone® and iPod Touch® as well as Bluetooth devices using SPP and Wired Serial Connection / RS-232**

In addition the SM-T300i offers “Drop-In & Print” paper loading; high reliability; fast print speeds of 75mm per second; intuitive LCD display; easy setup facility; configurable auto power saving.

With a dust resistant and splash-proof design (IP54 Certified), combined with standard three inch receipt printing and long battery life; For example the SM-T300i is rugged enough for outside field workers and durable enough for restaurateurs and assistants working in demanding retail and hospitality environments which require handheld devices to seamlessly print to a portable printer.



Compatible with all Operating Systems supporting Bluetooth SPP / RS-232





SM-T300i

3" (80mm)
Receipts



Quick Release
Paper Loading



Drop-In & Print

Easy Setup Facility

Switch from iOS support to other OSs. Simple front panel controls allow configuration of the printer and selection of either MFI mode or SPP / RS-232 for all other Operating Systems



Optional Shoulder
Strap Available

Convenient shoulder strap keeps the SM-T300i close and allows easy and secure access for mobile printing environments



Belt clip included in box with battery pack, serial cable and AC Charger



SM-T300i Specifications

Features - Hardware

Apple MFi certified – pairs with iPad, iPhone, iPod, as well as all Bluetooth devices supporting SPP (Serial Port Profile)
3"/80mm Mobile Printer
Small and Lightweight Design
Rugged Design - Dust Protected, Splash Proof (IP54 Certified)
Long-Lasting Battery Life
Blue Backlit LCD Display
Standard and 2D Barcode Support
Bluetooth Connection
Configurable Friendly Auto Power Down Mode
Cover Open Sensor as Standard
Black Mark Sensor as Standard for pre-printed forms
Drop-In & Print Paper Loading

Connectivity:

Serial, BT SPP and MFI/iOS

Operating System Support:

iOS, Android and Windows

What's included:

AC Charger, Battery Pack, Sample Paper Roll, Serial Cable, Belt Clip

Options:

4 unit Battery Charger, Car Charger, Extra Charger or Battery Pack

Technical Specifications:

Print Method Direct Thermal
Print Resolution 203 dpi
Print Speed 75mm/second
Paper Width 80mm
Paper Thickness 0.055 – 0.065mm
Paper Roll Diameter 50mm
Battery Life 8 hours at 5 minute Printing Intervals
Power DC7.4V Lithium-Ion Battery 1130mAh
Mechanical Life 50km
Dimensions 120 (W) x 132 (H) x 58 (D) mm
Weight 442g with battery
Drop Test 1.5m (MSR Model: 1.2m)
Black Mark Sensor Supported on front of paper
Reliability:
Printer MCBF 37 million lines
Print Head 50km
Character Support Cyrillic, Russian, Turkish, Greek, Japanese, Persian, Latin 9 and others (upon request)

Warranty:

1-Year Limited Warranty, FCC Approved (Certified)

For further information:

Sales Call +44 (0) 1494 471111 or Email Sales@Star-EMEA.com
Technical Support +44 (0) 1494 471111 / Support@Star-EMEA.com
Web www.Star-EMEA.com

"Made for iPod", "Made for iPhone", "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone and iPad respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. iPod touch is a trademark of Apple Inc. iPhone is a trademark of Apple Inc. iPad is a trademark of Apple Inc.

Star Micronics EMEA

Star House, Peregrine Business Park, Gomm Road, High Wycombe, Bucks. HP13 7DL, UK
Tel: +44 (0) 1494 471111 • Fax: +44 (0) 1494 473333 • Email: Sales@Star-EMEA.com

