

# Comfort keyboard USB

## G83-6000



### Facts & Features

- More than 30 million satisfied users worldwide
- Space saving, compact design
- Long-lived and recycling-friendly
- Uniform switching characteristics
- Comfortable actuation with soft-tactile point
- Abrasion-proof inscription of key caps
- PC- and MAC compatible due to USB interface
- Connection and disconnection during operation with USB connector
- Very low current consumption of typ. 15 mA

### Delivery volume

- 1 Comfort keyboard
- 1 printed manual

### Approvals

- FCC, cURus, GS, CE, c-tick, GOST-R
- Microsoft Windows™XP

### System requirements

- USB interface

### Technical data

- Number of buttons:  
104 = international layout with Windows™ keys  
105 = european layout with Windows™ keys
- Weight:  
approx. 930 g (keyboard)  
approx. 1140 g (with packaging)
- Dimensions:  
approx. 458 x 170 x 42 mm (keyboard)  
approx. 493 x 210 x 47 mm (packaging)
- Cable length:  
approx. 1.75 m
- Storage temperature:  
-20 °C bis 60 °C
- Operating temperature:  
0 °C bis 50 °C
- Operating life of individual keys:  
> 20 million operations
- Interface:  
USB
- Current consumption:  
typ. 16 mA
- Packaging unit:  
65 keyboards per master carton  
2 master carton per pallet
- Guarantee period:  
2 years

## Order description

<i>Order number</i>	<i>Housing colour</i>	<i>Number of buttons</i>	<i>Country version</i>	<i>EAN-Code</i>
G83-6104LUNEU-0	light grey	104	US-English with €	4025112010880
G83-6104LUNEU-2	black	104	US-English with €	4025112028793
G83-6104LUNIL-0	light grey	104	US-English / hebrew	4025112056550
G83-6104LUNRC-0	light grey	104	US-English / chinese	4025112049927
G83-6104LUNRG-0	light grey	104	US-English / cyrillic	4025112006876
G83-6104LUNRG-2	black	104	US-English / cyrillic	4025112057915
G83-6105LUNBE-0	light grey	105	Belgium	4025112010637
G83-6105LUNBE-2	black	105	Belgium	4025112043178
G83-6105LUNCH-0	light grey	105	Switzerland	4025112017308
G83-6105LUNCH-2	black	105	Switzerland	4025112047350
G83-6105LUNDE-0	light grey	105	Germany	4025112010330
G83-6105LUNDE-2	black	105	Germany	4025112026027
G83-6105LUNDK-0	light grey	105	Denmark	4025112010620
G83-6105LUNDK-2	black	105	Denmark	4025112047329
G83-6105LUNES-0	light grey	105	Spain	4025112010613
G83-6105LUNES-2	black	105	Spain	4025112046216
G83-6105LUNFR-0	light grey	105	France	4025112010347
G83-6105LUNFR-2	black	105	France	4025112028779
G83-6105LUNGB-0	light grey	105	UK-English	4025112010606
G83-6105LUNGB-2	black	105	UK-English	4025112047336
G83-6105LUNGR-0	light grey	105	Greece	4025112056765
G83-6105LUNIT-0	light grey	105	Italy	4025112010590
G83-6105LUNIT-2	black	105	Italy	4025112046209
G83-6105LUNNL-0	light grey	105	Netherlands	4025112044717
G83-6105LUNNL-2	black	105	Netherlands	4025112050510
G83-6105LUNNO-0	light grey	105	Norway	4025112013249
G83-6105LUNNO-2	black	105	Norway	4025112042843
G83-6105LUNPL-0	light grey	105	Poland	4025112052781
G83-6105LUNPO-0	light grey	105	Portugal	4025112047398

<i>Order number</i>	<i>Housing colour</i>	<i>Number of buttons</i>	<i>Country version</i>	<i>EAN-Code</i>
G83-6105LUNPO-2	black	105	Portugal	4025112047343
G83-6105LUNRD-0	light grey	105	Germany / cyrillic	4025112041990
G83-6105LUNRD-2	black	105	Germany / cyrillic	4025112054082
G83-6105LUNSF-0	light grey	105	Sweden / Finland	4025112047381
G83-6105LUNSF-2	black	105	Sweden / Finland	4025112042621
G83-6105LUNSL-0	light grey	105	Slovenia	4025112010583
G83-6105LUNTS-0	light grey	105	Czech Republic	4025112022364
G83-6105LUNTS-2	black	105	Czech Republic	4025112040351

Cherry GmbH  
Cherrystraße  
91275 Auerbach/Opf.  
Germany

Phone: +49 9643 18-0  
Internet: [www.cherry.de](http://www.cherry.de)  
[www.cherrycorp.com](http://www.cherrycorp.com)

Sales: +49 1805 243779 (01805-Cherry)  
E-Mail: [sales@cherry.de](mailto:sales@cherry.de)  
Fax: +49 9643 18-1545

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

© 2006 Cherry GmbH, Last update: 2 November 2006

